	Application No.	Applicant(s)
	10/692,428	SCHIEBER ET AL.
Notice of Allowability	Examiner	Art Unit
	 MICHAEL C. LAI	2157
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this applyor or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. X This communication is responsive to <u>amendment filed on S</u>	<u>3/12/2008</u> .	
2. The allowed claim(s) is/are <u>1-3,7-24,26,27 and 30-47</u> .		
 3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	e been received. e been received in Application No	
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date	· ·	,
(b) ☐ including changes required by the attached Examiner' Paper No./Mail Date		Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
 Notice of Draftperson's Patent Drawing Review (PTO-948) MInformation Disclosure Statements (PTO/SB/08), 	6. ⊠ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendr	te <u>7/16/2008</u> .
Paper No./Mail Date <u>3/31/2008</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit	<u>_</u>	ent of Reasons for Allowance
of Biological Material	9.	
	/Ario Etienne/ SPE, Art Unit 2157	

Application/Control Number: 10/692,428 Page 2

Art Unit: 2157

DETAILED ACTION

This office action is responsive to amendment filed on 3/12/2008.

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in telephone interviews with Rhys W. Cheung on 7/16/2008 and 7/21/2008.

The application has been amended as follows:

- In the specification (paragraph [0078], line 3, before "non-volatile"), please insert --- storage media (such as ---.
- In the specification (paragraph [0078], line 3, after "volatile media"), please insert ---) ---.
- In the specification (paragraph [0079], line 1, before "a floppy"), please insert -- storage media such as ---.
- In the specification (paragraph [0079], line 4, after "cartridge,"), please insert --- transmission media such as ---.
- In claim 1, line 14, please insert before "." --- , and wherein the step of connecting said second set of one or more clients comprises the steps of:
 connecting each client of said second set of one or more clients at a different

Application/Control Number: 10/692,428 Page 3

Art Unit: 2157

time; and initiating the step of connecting each client based on a timeout mechanism configured on each client ---.

- Cancel claim 29.
- In claim 33, line 16, please insert before "." --- , and wherein the step of connecting said second set of one or more clients comprises the steps of: connecting each client of said second set of one or more clients at a different time; and initiating the step of connecting each client based on a timeout mechanism configured on each client ---.
- In claim 34, line 15, please insert before "." --- , and wherein the means of connecting said second set of one or more clients comprises: means for connecting each client of said second set of one or more clients at a different time; and means for initiating the step of connecting each client based on a timeout mechanism configured on each client ---.
- In claim 35, line 19, please insert before "." --- , and wherein the step of connecting said second set of one or more clients comprises the steps of: connecting each client of said second set of one or more clients at a different time; and initiating the step of connecting each client based on a timeout mechanism configured on each client ---.

Allowable Subject Matter

Claims 1-3, 7-24, 26, 27, and 30-47 are allowable based on applicant's Amendments/Remarks filed on 3/12/2008 and examiner's Amendment filed on 7/21/2008.

Application/Control Number: 10/692,428 Page 4

Art Unit: 2157

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Lai whose telephone number is (571) 270-3236. The examiner can normally be reached on M-F 8:30 - 5:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571) 272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Michael C. Lai 21JUL2008

/Ario Etienne/ Supervisory Patent Examiner, Art Unit 2157